







Why Therma-Tru_® Doors Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.*

Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.





Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

Front Cover: Classic-Craft Rustic Collection, Lucerna Glass, Door – CCR20022-1D, 1C, Sidelites – CCR3412SL-1D, 1C

A Therma-Tru_{*} door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. Each part of the system – from the glass to the hinges – is engineered to work together for weather resistance and energy efficiency.

And Therma-Tru can stand behind more parts of a door system for longer than other door companies because Therma-Tru makes or specifies everything that goes into it. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.

Backed by our lifetime limited warranty.

Therma-Tru. Fiberglass Doors

All of these genuine Therma-Tru components are included in our lifetime limited warranty.† The homeowner has one source, Therma-Tru, to turn to if an issue arises with the door system.††



Our Lifetime Limited Warranty

Other Fiberglass & Wood Doors

Other companies that only supply the door panel either don't warrant as many parts of the door system or warrant them for a shorter period. That could leave the homeowner without coverage and confused about who to turn to if issues arise.



Other Door Companies' Warranties

^{*}Brand Use Study, 2017 Builder magazine.

[†]Excluding primed Pine and Oak frame components.

^{††}Excluding improper assembly of components into a door system by the distributor, dealer, builder or remodeler, and the installation of the door system.

^{†††}Excluding installations within 5 miles of a body of salt water and the finish.

^{††††}Excluding normal wear and tear.

^{†*}As tested by an independent laboratory. Not available on certain configurations.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Items denoted in RED add one week to existing lead time if not in stock.

Door System Components

2

Pass Through

Mortise


Recessed

Mortise



with a system warranty.
Therma-Tru covers all
the components...

(slab, lite insert, sill, weatherstrip, etc.)



2 Seven Shape
Corner Seal Pad
Its innovative design
creates an air pocket that
helps prevent air and water
infiltration.



6 Hinges
Available in
ball-bearing,
spring-loaded and
self-aligning tabs
and non-removable
pin (NPR).



3 Door Bottom Sweeps Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.





7 Transport Clip
When attached
to the slab and
frame with screws,
guarantees a
consistent reveal,
provides for ease of
installation and
pre-drilled for door
hardware.



4 Composite Sills
Profiled design for a
tighter fit with the door
to help eliminate the
destructive effects of
water. Inswing uses a
composite adjustable sill.

An outswing uses a fixed composite sill.



8 End Sill Pads
Provide a gasket between
the frame and sill to prevent
leaking...performs better
than caulk.



Long reach is applied to strike and head jamb for superior seal that competitors do not offer; medium reach is applied to hinge side (reduces hinge-bind).



5 Adjustable Security Strike Plate^{†*} Provided to Match Hinge Color Tested to withstand up to three times the force of standard strike plates, offers both security and adjustability.



2 - 2-1/2" Long Screws to Apply in Top Hinge for better performance.

2 - 2-1/2" Long Screws to Apply in Strike Plate for better security.



Screws
Boise uses 1" screws into
the slab and 3/4" screws in
the frame when applying the
hinges...better holding power.

Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth and painted surfaces.

Classic-Craft。 Premium Entryways


These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood.

Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.



Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.



Door Options

Fiber-Classic Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.



Smooth-Star. Doors

Get a smooth surface for plenty of color options with exceptional performance and value.

Steel Doors

Bring style and affordability together to create very attractive results with our steel doors.

Pulse_®

Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.



Smooth-Star.



Door Construction

Architecturally correct for true classic beauty.Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.



Premium - right down to the edge. A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge. The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



More than 10% wider glass*



Classic-Craft Premium Glass



Standard Glass





Classic-Craft Premium Door





Standard Fiberglass Door

| Entry Door Systems Data | | | | | |
|-------------------------|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Feature | Classic-Craft₀ | Fiber-Classic _® | Smooth-Star ₀ | Profiles™ | Traditions |
| Skin Material | Fiberglass | Fiberglass | Fiberglass | 24 Gauge Steel | 25 Gauge Steel |
| Skin Texture | Oak, Mahogany, Fir Grain, High Detail Smooth | Oak, Mahogany Grain | High Detail Smooth | White Primer | White Primer |
| Finishing Options | Stain or Paint | Stain or Paint | Paint | Paint | Paint |
| Lock Block | 4" LSL Full Length Stile | Wood 25" | Wood 12-1/2" | Wood 12-1/2" | Wood 12-1/2" |
| Limited Warranty | Lifetime | Lifetime | Lifetime | 10 Years | 5 Years; I.G. 10 Years |
| Hinges | Ball-Bearing Radius/Radius | Self-Aligning Radius/Square | Self-Aligning Radius/Square | Self-Aligning Radius/Square | Self-Aligning Radius/Square |
| Top Rail | Composite | Composite | Composite | Composite | Composite |
| Bottom Rail | Composite | Composite | Composite | Composite | Composite |
| Lock Stile | 4-1/8" LSL Full Length Stile | 1-1/4" LVL | 1-1/4" LVL | 1-1/4" Pine | 1-1/4" Pine |

Specialty Glass

Privacy & Textured Glass











Internal Blinds



















Features / Options Key


- Flush-Glazed Glass
- Vented Sidelite
- No Stile Lines 1D Black Nickel Caming

1C Brushed Nickel Caming

Full-Glass Options

Classic-Craft

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" & 14" widths.



Arcadia CCM109-1C CCM3409SL-1C ▲



Ashurst CCM105-1D, 1C CCM3405SL-1D, 1C ♠



Bella CCM110B-1D CCM3410BSL-1D ♠



Longford CCM103-1D, 1C CCM3403SL-1D, 1C ♠

Classic-Craft Transoms



12"-3/0-12"-1D, 14"-3/0-14"-1D



Longford LFRT-1D, 1C

12"-3/0-12"-1D, 1C, 14"-3/0-14"-1D

Bella BERT-1D

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 2'8" & 3'0" widths. Sidelites on this page available in 6'8" height and 10" & 12" widths.



Blackstone FCM108-1D, 1C FCM808SL-1D, 1C



Crystalline FCM16-1C FCM18101SL-1C ■ ●



Saratoga FCM905-1D, 1C FCM815SL-1D, 1C ■ ●



Wellesley
FCM104-1D, 1C
FCM818SL-1D. 1C



Concorde FCM910-1C FCM809SL-1C■●



Kensington S160-1D, 1C S160SL-1D / S6132SL-1D ■ ● 14"



Maple Park
FCM900-1D, 1C
FCM812SL-1D, 1C ■ ●

12"-3/0-12"-1C




Axis S1652-1D 2'4", 2'6" S1652SL-1D / S1651SL-1D • 14"


Fiber-Classic & Smooth-Star Transoms



Blackstone BSRT-1D, 1C



Wellesley 19730T-1D, 1C




Concorde CNRT-1D, 1C

FC900-1D. 1C

FC900SL-1D, 1C

FC812SL

S6100-1D, 1C



Maple Park FWRT-1D, 1C



Full-Glass Wrought-Iron Options

Classic-Craft.

All doors in CC section available in 6'8" height and 3'0" width. Sidelites in CC section available in 6'8" height and 12" & 14" widths.



CCR1528 CCR3400XHSL ▲



CCR3400XNSL

CCV100XNSL

Augustine



Borrassa CCM1528 CCM3400XHSL ▲ (SL features hammered glass)





CCR30020COR-(XC, XR, LE) CCR3400 (XC, XR, LE) SL

CCV100XHSL



COR External Wrought Iron CCM10020 (XC, XR, LE)-COR CCM3400SL (XC, XR, LE)



SIE External Wrought Iron CCM10020 (XC, XR, LE)-SIE CCM3400SL (XC, XR, LE)

Fiber-Classic. & Smooth-Star.

All doors in the FC & SS section available in 6'8" height and 2'8" & 3'0" widths. Sidelites FC & SS section available in 6'8" height and 10" & 12" widths.



FCM10 (XC, XN, XR, LE) 20-COR

FCM1210SL (XC, XN, XR, LE)

FC10 (XC, XN, XR, LÈ) 20-COR FC47SL (XN, XC, XR, LE) XC, XE, LE) 20-COR

FC574

FC572SL

S118 (XR, XN, S100SL (XE, LE)


FC10 (XC, XN, XR, LE) 20-SIE FC47SL (XR, XN, XC, LE) S118 (XR, XN, XC, XE, LE) 20-SIE S100SL (XE, LE)

SIE External Wrought Iron FCM10 (XC, XN, XR, LE) 20-SIE FCM1210SL (XC, XN, XR, LE)



Riserva FCM574 FCM572SL

Features / Options Key



LE Low-E

XE Satin Etch Glass XC Chord Glass

XR Rainglass XN Granite Glass XH Hammered Glass

Flush-Glazed Full-Glass with SDL Grilles

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 2'0", 2'6", 2'8", and 3'0" widths. Smooth-Star doors on this page also available with Low-E in 6'6" and 6'8" height in 2'10" widths.



Flush-Glazed 2-Lite FC2000-2W1H ♠ (SDL, LE, CL)




Flush-Glazed 3-Lite FC2000-3W1H ♠ (SDL, LE, CL)



Flush-Glazed 4-Lite FC2000-2W2H ♠ (SDL, LE, CL)



Flush-Glazed 6-Lite FC2000-2W3H ♠ (SDL, LE, CL)



Flush-Glazed 8-Lite FC2000-2W4H ♠ (SDL, LE, CL)



Flush-Glazed 10-Lite FC2000-2W5H ♠ (SDL, LE, CL)



Flush-Glazed 15-Lite FC2000-3W5H ♠ (SDL, LE, CL)



Flush-Glazed Craftsman FC2000-3LT Craftsman (SDL, LE, CL)



Flush-Glazed
Double Cottage
FC2000-7LT ♠
(SDL, LE, CL)



Flush-Glazed 5-Lite FC2000-1W5H ♠ (SDL, LE, CL)



Flush-Glaze Prairie FC2000-9Lt ♠ (SDL, LE, CL)





Historical 7/8" Putty SDL



1-1/4" OG SDL

^{*} See style S2050 on page 16 for GBG options.

^{**} See style S2009 on page 16 for GBG options.

Note: Items denoted in RED add one week to existing lead time if not in stock.

Flush-Glazed Full-Glass with SDL Grilles

13Lt

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 2'0", 2'6", 2'8", and 3'0" widths. Smooth-Star doors on this page are also available with Low-E in 6'6" and 6'8" height in 2'10" widths.



Flush-Glazed 15-Lite Prairie FC2000-15Lt Prairie (SDL, LE, CL)



Flush-Glazed 13-Lite Prairie FC2000-13Lt Prairie (SDL, LE, CL)



S2000-

Prairie

Flush-Glazed 23-Lite Prairie FC2000-23Lt Prairie (SDL, LE, CL)



S2000-

1PC1D5

Flush-Glazed FC2000-1PC1D5 (SDL, LE, CL)



Flush-Glazed FC2000-1PDM22 **△** (SDL, LE, CL)



Flush-Glazed FC2000-1PCR9 ▲ (SDL, LE, CL)



S2000-1PCR10

Flush-Glazed FC2000-1PCR10 (SDL, LE, CL)



Flush-Glazed S2000-4096W A (SDL, LE, CL)



Flush-Glazed S2000-5130G (SDL, LE, CL)



Flush-Glazed S2000-5044G (SDL, LE, CL)



Flush-Glazed S2000-5082G (SDL, LE, CL)



Flush-Glazed S2000-5033G (SDL, LE, CL)



7/8" OG SDL



Historical 7/8" Putty SDL



1-1/4" OG SDL

Smooth-Star.

All Smooth-Star doors on this page available in 6'8" height and 2'0", 2'6", 2'8" and 3'0" widths. Additionally, 6'6" and 6'8" height in 2'10" width are available in Low-E only.



Flush-Glazed LE, Clear S2000-5030G3R (SDL, LE, CL)



S2000-5032G (SDL, LE, CL)



S2000-5030GCM ▲ (SDL, LE, CL)




S2000-5040G (SDL, LE, CL)



S2000-5055G (SDL, LE, CL)



Clear S2000-5010G (SDL, LE, CL)




Flush-Glazed LE. Clear S2000-5060G (SDL, LE, CL)



S2000-5013G (SDL, LE, CL)



S2000-5083G (SDL, LE, CL)



S2000-4910W (SDL, LE, CL)



Flush-Glazed LE, Clear S2000-5086G (SDL, LE, CL)



S2000-5080G (SDL, LE, CL)



S2000-5030G3R (Actual Door Picture)



\$8000-5060G 3'0" x 8'0" (Actual Door Picture)

Full-Glass Options

Fiber-Classic. & Smooth-Star.


All doors on this page available in 6'8" height.



Flush-Glazed Prairie S2009LE-GBG-A, GBG-W 3'0" S2000SL 10", 12" (GBG, LE, CL)



Flush-Glazed 15-Lite **S2050-GBG-W (LE, GBG)** 2'6", 2'8", 3'0" S2010SL-GBG-W (LE. GBG) 10", 12"



15 Lite S108-GBG-W (LE) 2'6", 2'8", 2'10", 3'0"; 2'4" (CL) GBG-A (LE) 2'8", 2'10", 3'0"; FXG (LE, CL) 2'6", 2'8", 2'10", 3'0" S308SL / S1170SL GBG-W (LE, CL), GBG-A (LE, CL), FXG (LE, CL) 10", 12", 14"



10 Lite S128 FXG (CL) 2'0"; FXG (LE) 2'0"; FXG (LE) 2'8", 2'10", 3'0" S100SL / S601SL (LE, CL) 10", 12", 14"







Flush-Glazed Clear or Low-E FC2000 (LE. CL) 2'0", 2'6", 2'8", 3'0" FC2000SL ▲ (LE) 12"





CL) 10", 12", 14" FCM10 (XC, XN, XR, LE, CL) 2'8", 3'0" FCM12101SL (LE, CL) 10", 12"

Clear Transoms with Grilles



19220T-2 Lite (SDL, LE, CL) 10"-3/0-10". 12"-3/0-12" 2'8". 3'0"




19220T-3 Lite (SDL, LE, CL) 10"-3/0-10". 12"-3/0-12"



19220T-4 Lite (SDL, LE, CL) 10"-3/0-10". 12"-3/0-12"



19220T-5 Lite (SDL, GBG, LE, CL) 10"-3/0-10". 12"-3/0-12"



S1212 Arched Glass (SDL, LE) 5'0", 5'4", 6'0" x 6'8" 5'0", 6'0" x 8'0"



S1202 Arched Glass (SDL, LE) 5'0", 5'4", 6'0" x 6'8" 5'0", 6'0" x 8'0"

Features / Options Key

Flush-Glazed Glass No Stile Lines FXG Fixed Grilles

GBG-A Grilles Between Glass Almond Flat Bar GBG-W Grilles Between Glass White Flat Bar

SDL Simulated Divided Lites

LE Low-E CL Clear Glass XΕ Satin Etch Glass XC Chord Glass

Chinchilla Glass

XR Rainglass

XN Granite Glass

Full-Glass Options



3/4-Glass Options

Classic-Craft

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" & 14" widths. 10" Sidelites offered where noted.



Villager CCM9816-1D CCM9812SL-1D ♠



Homeward ccM9923-1D CCM9925SL-1D





Arcadia
CCM309-1D
CCM3409SL-1D ♠





Ashurst CCM305-1D, 1CCCM3405SL-1D, 1C





Bella CCM310B-1D, 1CCCM3410BSL-1D, 1C ♠

Classic-Craft Transoms

*10"-3/0-10"-1D, 12"-3/0-12"-1D *10"-3/0-10" is 10" height standard

*10"-3/0-10" in a 12" height option



Arcadia CC620T-1D



*10"-3/0-10"-1D, 12"-3/0-12"-1D *10"-3/0-10" is 10" height standard *10"-3/0-10" in a 12" height option



*10"-3/0-10"-1D 12"-3/0-12"-1D



Villager VGRT-1D

12"-3/0-12"-1D

BERT-B-1D

Ashurst

ASRT-1D

3/4-Glass Options

Classic-Craft.

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" & 14" widths. 10" Sidelites offered where noted.



Arborwatch CCM1419-1D CCM1423SL-1D. 1C ▲



Longford CCM203-1D, 1C CCM3303SL-1D, 1C ▲ 10"



Longford CCM303-1D, 1C CCM3403SL-1D, 1C ▲



Zaha CCM1842-1D, 1C CCM1843SL-1D. 1C ▲ 10"



Zaha CCV1843-1C CCV1851SL-1C ▲



Lucerna CCM204-1D, 1C CCM3302SL-1D, 1C ● 10"



Lucerna CCM302-1D, 1C CCM3412SL-1D, 1C



Lucerna CC922-1D, 1C CC3412SL-1D, 1C

Classic-Craft Transoms



Arborwatch ABRT-1D, 1C



Longford LFRT-1D, 1C



Zaha ZHRT-1D, 1C



Lucerna LCRT-1D, 1C





Note: Items denoted in RED add one week to existing lead time if not in stock.

This transom is built from SL and the glass is 1-13/16" short on the outside edge of the SL glass on each side. *This decorative transom is built as a sash set in 10". All other 12", 14" decorative transoms are direct set glass.

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 3'0" width. 2'8" Offered where noted. Sidelites on this page available in 6'8" height and 12" widths. 10" & 14" Offered where noted.



Blackstone FCM765-1D, 1C FCM765SL-1D, 1C



Blackstone FC770-1D, 1C 2'8" FC765SL-1D, 1C



Wellesley FCM147-1D. 1C FCM147SL-1D



Wellesley FC779-1D, 1C 2'8" FC147SL-1D



Concorde FCM912-1D. 1C FCM912SL-1D, 1C

12"-3/0-12"-1D, 1C



Concorde FC780-1D, 1C 2'8" FC912SL-1D, 1C



Kensington S20042-1D 2'8" S1442SL-1D 14"




S156-1D S160SL-1D / S6132SL-1D 10", 14"

Fiber-Classic & Smooth-Star Transoms Blackstone BSRT-1D, 1C

**10"-3/0-10"-1D, 1C 12"-3'0"-12"-1C 12"-3'0"-12"-1C

Wellesley 19730T-1D, 1C




Concorde CNRT-1D, 1C

Features / Options Key



1D Black Nickel Caming

No Stile Lines 1C Brushed Nickel Caming



3/4-Glass Wrought Iron Options

Classic-Craft.

All doors in this CC section available in 6'8" height and 3'0" width. Sidelites in this CC section available in 6'8" height and 12" & 14" widths. 10" Sidelites offered where noted.



Borrassa CCM1475 CCM3400XHSL

(SL features hammered glass)



Augustine CCV05027XN CCV100XNSL



Borrassa CCV1519 CCV100XHSL (SL features hammered glass)



COR External Wrought Iron CCM20020 (XN, XR)-COR CCM3400SL (XN, XR)



Augustine CCM1495XN Arch top glass CCM1485XN Square top glass CCM3400XNSL



COR External Wrought Iron CCV05020 (XJ, XN, XR)-COR CCV100SL (XJ, XN, XR)

Fiber-Classic & Smooth-Star

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" width.



Riserva FCM543 FCM572SL 10"



Riserva FC529 2'8" FC573SL / FC572SL = 10"

Features / Options Key

No Stile Lines SDL Simulated Divided Lites LE Low-E

CL Clear Glass

Hammered Glass XJ Chinchilla Glass

Rainglass XN Granite Glass

3/4-Glass with SDL Grilles

Classic-Craft_®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" widths. 10" Sidelites offered where noted.



4 Lite CCM200-2W2H (SDL, LE) CCM3300SL-1W2H (SDL, LE) 10"



6 Lite CCM200-2W3H (SDL, LE) CCM3300SL-1W3H (SDL, LE) 10"



8 Lite CCM200-2W4H (SDL, LE) CCM3300SL-1W4H (SDL, LE) 10"



12 Lite CCM200-3W4H (SDL, LE) CCM3300SL-1W4H (SDL, LE) 10"



Prairie Lite CCM200-PR (SDL, LE) CCM3300SL-PR (SDL, LE) 10", 14"



4 Lite CC90-2W2H (SDL, LE) CC2020SL (LE) 14"

12"-3/0-12"

2'8", 3'0"




6 Lite CC90-2W3H (SDL, LE) CC2020SL (LE) 14"



12 Lite CC90-3W4H (SDL, LE) CC2025SL (SDL, LE) 14"

Classic-Craft Transoms with Grilles



19220T-2 Lite (SDL, LE, CL)



19220T-3 Lite (SDL, LE, CL)



10"-3/0-10", 12"-3/0-12"



19220T-5 Lite (SDL, LE, CL)

3/4-Glass with SDL Grilles

Fiber-Classic.

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width. 14" Sidelites offered where noted.



4 Lite FCM32-2W2H FCM32SL-1W2H (SDL, LE, CL)



4 Lite FC766-2W2H 2'8" FC32SL-1W2H 14" (SDL, LE, CL)



6 Lite FCM32-2W3H FCM32SL-1W3H (SDL, LE, CL)



6 Lite FC766-2W3H 2'8" FC32SL-1W3H 14" (SDL, LE, CL)



12 Lite FCM32-3W4H FCM32SL-1W4H (SDL, LE, CL)



12 Lite FC766-3W4H 2'8" FC32SL-1W4H (SDL, LE, CL)

12"-3/0-12"

2'8", 3'0"



Prairie Lite FCM32-PR FCM32SL-PR (SDL, LE, CL)

12"-3/0-12"



Prairie Lite FC766-PR 2'8" FC32SL-PR (SDL, LE, CL)

10"-3/0-10",

12"-3/0-12"

Fiber-Classic Transoms with Grilles



19220T-2 Lite (SDL, LE, CL)



19220T-3 Lite (SDL, LE, CL)





19220T-5 Lite (SDL, LE, CL)

10"-3/0-10", 12"-3/0-12" 2'8", 3'0"

Smooth-Star.

All doors on this page are Flush-Glazed and available in 6'8" height and 2'6", 2'8" and 3'0" widths.



Flush-Glazed S2200-1PCR4 (SDL, LE, CL)



Flush-Glazed S2200-1PCR8 (SDL, LE, CL)



Flush-Glazed S2200-6Lt. 2W3HUE (SDL, LE, CL)



Flush-Glazed S2200-1PC4Y7 (SDL, LE, CL)



Flush-Glazed S2200-1PCCIR5 ▲ (SDL, LE, CL)



Flush-Glazed S2200-1PC1D5 (SDL, LE, CL)



Flush-Glazed S2200-1PDM17 (SDL, LE, CL)



Flush-Glazed S2200-1PC6Y10 (SDL, LE, CL)



Flush-Glazed S2200-1PC6D17 (SDL, LE, CL)



Flush-Glazed S2200-1PC6D18 (SDL, LE, CL)



Flush-Glazed S2200-5697G (SDL, LE, CL)



Flush-Glazed S2200-5624G (SDL, LE, CL)



Flush-Glazed S2200-5626G (SDL, LE, CL)



Flush-Glazed S2200-5633G 🌢 (SDL, LE, CL)

Features / Options Key

- Flush-Glazed Glass
- LE Low-E
- SDL Simulated Divided Lites CL Clear Glass

3/4-Glass with Grilles

Smooth-Star.

All doors on this page are Flush-Glazed and available in 6'8" height and 3'0" width. Sidelites on this page are Flush-Glazed and available in 6'8" height and 12" width. 10" Sidelites offered where noted.



Flush-Glazed S90SL-1W2H ▲ (SDL, LE) S2103 (GBG, LE) Almond, White



Flush-Glazed S2200-2W3H ♠ (SDL, LE, CL) 2'6", 2'8" S90SL-1W3H (SDL, LE) S2104 (GBG, LE) Almond, White



Flush-Glazed **S2200-PR** (SDL, LE, CL) 2'6", 2'8" S1401 (GBG, LE) Almond, White



Flush-Glazed S2200-3W4H ♠ (SDL, LE, CL) 2'6", 2'8" S90SL-1W4H ♠ (SDL, LE) S2250 (GBG, LE) Almond, White S92SL (GBG, LE) Almond, White



Flush-Glazed S2200-2W1H ♠ (SDL, LE, CL) 2'6", 2'8" S90SL ♠ (LE, CL)



Flush-Glazed **S2200-3W1H** (SDL, LE, CL) 2'6", 2'8" S2010SL (SDL, GBG) Almond 10" (GBG, LE, CL) White




Flush-Glazed **Modified Trellis S2200-13Lt** (SDL, LE, CL) 2'6", 2'8" S2000SL (LE, CL) 10"



Flush-Glazed Trellis S2200-19Lt (SDL, LE, CL) 2'6", 2'8" S2000SL ♠ (LE, CL) 10"

Smooth-Star Transoms with Grilles



10"-3/0-10", 12"-3/0-12"



10"-3/0-10". 12"-3/0-12" 2'8". 3'0"



10"-3/0-10". 12"-3/0-12"



10"-3/0-10", 12"-3/0-12"

19220T-4 Lite

(SDL, LE, CL)

Classic-Craft

All doors in this CC section available in 6'8" height and 3'0" width.



Privacy / Low-E Glass CCM200 (XN, XR, LE)



Low-E Glass CCM400 (LE)



Privacy / Low-E Glass CCV05020 (XJ, XR, XN, LE)

Fiber-Classic.

All doors in this FC section available in 6'8" height and 3'0" width.



Privacy / Low-E / Clear Glass FCM32 (XN, XR, LE, CL)



Privacy / Low-E / Clear Glass FC766 (XN, XR, LE, CL) 2'8"



Flush-Glazed Low-E / **Clear Glass S2200 (LE, CL)** 2'6", 2'8"




Features / Options Key

Low-E Glass

CC90 (LE)





2/3-Glass Options

Classic-Craft_®

All doors on this page available in 6'8" height and 3'0" width.



Villager CCR9819-1D



Villager CCR9821-1D



Villager CCR9822-1D



Villager CCV9820-1D



Homeward CCR9921-1D



Homeward CCR9919-1D



Homeward CCR9918-1D



CCV9920-1D







Lucerna CCR20522-1D, 1C



Lucerna CCR20022-1D, 1C



Augustine CCR04027



Augustine CCR20527



Augustine CCR20537



Augustine CCR20537A



Augustine CCR20027



Borrassa CCR1518



Borrassa CCR1516



Borrassa CCR1515




Borrassa CCV1517

Features / Options Key

- 1D Black Nickel Caming
- Note: Items denoted in RED add one week to existing lead time if not in stock.

 1C Brushed Nickel Caming



1/2-Glass Options

Fiber-Classic. & Smooth-Star. All doors on this page available in 6'8" height and 3'0" widths.







Wellesley FCM6030-1C, 1A



Wellesley FCM6050-1C, 1A 2'8"



Concorde FCM911-1C, 1A 2'8"



S6026-1D,

1C, 1A

Concorde FCM6026-1C, 1A



S6046-1D, 1C,

1A 2'8"

Concorde FCM6046-1C, 1A 2'8"

Left: Smooth-Star, Screen Vented Lite, Door - S243 Note: Items denoted in RED add one week to existing lead time if not in stock.







Riserva FCM581



Riserva FCM575 3'0" only



Riserva FCM577



Internal Blinds FCM678



Internal Blinds FCM6035 3'0" only



Internal Blinds FCM6055



Screen Vented S243



Screen Vented S6034



Screen Vented S6054



Screen Vented

1/2-Glass Options

Fiber-Classic. & Smooth-Star.

All doors on this page available in 6'8" height and 2'8" & 3'0" widths.



Flush-Glazed FC2100-3W3H ▲ (SDL, LE)



Flush-Glazed FC2100-2W2H (SDL, LE)



Flush-Glazed FC2100-15 Lt Cottage (SDL, LE)



Flush-Glazed SDL FC2100-1PC1DS (CL, LE) 2'8" LE only



Flush-Glazed S2100-5144G (SDL, LE) 2'6"



Flush-Glazed S2100-5142G (SDL, LE) 2'6"



9-Lite Insert Type Glass FCM65 (SDL, LE)



9-Lite Insert Type Glass FCM6022 (SDL, LE) 3'0" only



9-Lite Insert Type Glass FCM6042 (SDL, LE)



Prairie Insert Type Glass S1408 (SDL, GBG, LE)

Features / Options Key



Prairie Insert Type Glass S1405 (SDL, GBG, LE)



Prairie Insert Type Glass S1406 (SDL, GBG, LE)



Flush-Glazed FC2100 🌢 (LE, CL)



FC62 (LE,

CL)

Insert Type Glass FCM62 (LE, CL)



Insert Type Glass FCM6021 (LE, CL) 3'0" only



Insert Type Glass FCM6041 (LE, CL)



Insert Type Glass S104 (LE, CL) 2'6", 2'4" single bore only



Insert Type Glass S289 (LE, CL) 3'0" only



Oval Options

Oval Options

Classic-Craft

All doors in this CC section available in 6'8" height and 3'0" width. Sidelites in this CC section available in 6'8" height and 12" & 14" widths. 10" Sidelites offered where noted.



Arcadia CCM709-1D, 1C, 1A CCM3309SL-1D, 1C, 1A 10"







Classic-Craft Transoms



Arcadia

CC620T-1D

*10"-3/0-10"-1D, 12"-3/0"-12"-1D, *10"-3'0"-10" is 10" height standard *10"-3'0"-10" in a 12" height option 12"-3'0"-12"-1D



*10"-3/0-10"-1D, 12"-3/0"-12"-1D, *10"-3'0"-10" is 10" height standard *10"-3'0"-10" in a 12" height option 12"-3'0"-12"-1D



*10"-3/0-10"-1D 12"-3/0"-12"-1D



Longford LFRT-1D, 1C

*10"-3/0-10"-1D, 1C 12"-3'0"-12"-1D, 1C

Ashurst

ASRT-1D

Oval Options

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width. 10" & 14" Sidelites offered where noted.





FC713-1D, 1C FC104SL/ FC818SL -1D, 1C 10" S774-1D. 1C S155SL/ S5870SL -1D, 1C 10". 14"











Wellesley FCM163-1D, 1C FCM818SL-1D, 1C 10"

FCM916-1D, 1C FCM809SL-1C 10"



FC915-1D, 1C FC912SL-1D. 1C S6084-1D, 1C S97SL-1C S757SL-1C 14"








FC151-1C, 1D FC1442SL-1C S163-1C, 1D S1442SL-1C 14"


Kensington FCM789-1C, 1D FCM1442SL-1C

12"-3'0"-12"-1D, 1C

Clear Insert Glass S6080 (CL. LE) S751SL (CL, LE) 14"

Concorde FCM915-1D. 1C FCM912SL-1D. 1C






Kensington

FCM151-1D, 1C

FCM813SL-1D 10"


Wellesley 19730T-1D, 1C







Features / Options Kev





Caming

1D Black Nickel 1C Brushed Nickel 1A Brass Caming

KNRT-1C

Left Page: Classic-Craft Mahogany Collection, Longford Glass, Door - CCM703, Sidelites - CCM3303SL, Transom - LFET (call for lead time on Elliptical Transom)

35



Craftsman Options

Craftsman Options

Classic-Craft.

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width.



Flush-Glazed CCA210-Trellis **(SDL, LE)** CCA210SL-3PR (SDL, LE)



Flush-Glazed
CCA210-R71PC ♠ (SDL, LE) (Call for extended lead time)
CCA3400SL-R6CF ♠ (SDL, LE)



Flush-Glazed CCA210-PR ♠ (SDL, LE) CCA3400SL-4PR ♠ (SDL, LE)



Flush-Glazed CCA260 ♠ (SDL, LE) CCA3400SL-3CF ♠ (SDL, LE)



Flush-Glazed CCA240 ♠ (SDL, LE) CCA220SL ♠ (SDL, LE)





Flush-Glazed CCA230 ♠ (SDL, LE) CCA210SL ♠ (SDL, LE)



Flush-Glazed CCA220 ♠ (SDL, LE) CCA210SL ♠ (SDL, LE)



Flush-Glazed
CCA210 ♠ (LE)
(shown with optional 4-block dentil shelf)
CCA3400SL ♠ (LE)

Optional Dentil Shelf



Left Page: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T

Note: Items denoted in RED add one week to existing lead time if not in stock.

Features / Options Key

Flush-Glazed Glass
 SDL Simulated Divided Lites

LE Low-E



Craftsman Options

Classic-Craft.

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" width.



Flush-Glazed
CCV910-3D1PC ♠ (SDL, LE) (Call for extended lead time)
CCV100SL-3D1PC ♠ (SDL, LE)



Flush-Glazed
CCV910-R71PC ♠ (SDL, LE) (Call for extended lead time)
CCV100SL-R6CF ♠ (SDL, LE)



Flush-Glazed CCV910-PR ♠ (SDL, LE) CCV9010SL-3PR ♠ (SDL, LE)



Flush-Glazed CCV960 ♠ (SDL, LE) CCV100SL-3CF ♠ (SDL, LE)



Flush-Glazed CCV940 ♠ (SDL, LE) CCV9020SL ♠ (SDL, LE)



Flush-Glazed CCV930 ♠ (SDL, LE) CCV9010SL ♠ (LE)



Flush-Glazed CCV920 ♠ (SDL, LE) CCV9010SL ♠ (LE)



Flush-Glazed CCV910 ♠ (LE) CCV100SL ♠ (LE)

Optional Dentil Shelf



CCV 4-Block Dentil Shelf



Rustic Plank CCR100-21x15-2W2H (SDL, LE) 3'6" x 8'0"



Rustic Plank CCR100-21x15-3W2H (SDL, LE) 3'6" x 8'0"



Rustic Plank CCR100-15x21-2W2H (SDL, LE) 3'6" x 8'0"



Rustic Plank CCR100-15x21-2W3H (SDL, LE) 3'6" x 8'0"



Rustic Plank CCR100R-15x21-2W2H (SDL, LE) 3'0" x 8'0"



Rustic Plank CCR100R-15x21-2W3H (SDL, LE) 3'0" x 8'0"



Rustic Plank CCR100-21x15 (LE) 3'6" x 8'0"




Rustic Plank CCR100-15x21 (LE) 3'6" x 8'0"



Rustic Plank CCR100R-8x10 3'0" x 8'0"



Rustic Plank CCR100-8x10 3'6" x 8'0"



Craftsman Options

Fiber-Classic. & Smooth-Star.

All doors in this section available in 6'8" height and 2'8" & 3'0" widths. Sidelites in this section available in 6'8" height and 10" & 12" widths.



Maple Park
FCM609-1D
FCM812SL-1D, 1C ■



Riserva FCM508 FCM572SL■



Axis
FCM1650
FCM1651SL



Sedona S604-A-1D S139SL-A-1D / S604SL-A-1D ■. 1D 14"



2-Lite FCM605 (XN, XR, LE, SDL) FCM12101SL (XN, XR, LE)




3-Lite FCM606 (XN, XR, LE, SDL) FCM12101SL (XN, XR, LE)



4-Lite
FCM607 (XN, XR, LE, SDL)
FCM12101-R6CFSL (XN, XR, LE, SDL)




6-Lite
FCM608 (XN, XR, LE, SDL)
FCM12101-R6CFSL (XN, XR, LE, SDL)



12"-3'0"-12"-1D 14"-3'0"-14"-1D



Sedona 19520T-A-1D



14"-3'0"-14"

Low-E / Clear 19220T (CL, LE)



Prairie FCM601-PR (XN, XR, LE, SDL) FCM12101-6PRSL (XN, XR, LE, SDL)



Privacy / Low-E FCM601 (XN, XR, LE) FCM12101SL (XN, XR, LE)



Prairie FCM601-R71PC (XN, XR, LE, SDL) (Call for extended lead time) FCM12101-R6CFSL (XN, XR, LE, SDL)



Privacy / Low-E S601 (XN, XR, XE, LE) S2000SL ♠ (LE) S100SL (XN, XR, XE, LE) 14"

Optional Dentil Shelves





*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



1D Black Nickel Caming

1C Brushed Nickel Caming A-1D Art Glass / Black Nickel Caming SDL Simulated Divided Lites


LE Low-E XE Satin Etch Glass XR Rainglass

XN Granite Glass





Craftsman Options



Center-Arch & Camber Top Options

Classic-Craft_®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" & 14" widths.

> CC19-1D, 1C, 1A CC1019SL 1D, 1C, 1A



Arcadia CCM809-1D, 1C, 1A CCM3509SL-1D, 1C, 1A



Ashurst CCM805-1D, 1C CCM3505SL-1D, 1C



Longford CCM803-1D, 1C CCM3503SL-1D, 1C



Lucerna CCM822-1D, 1C CCM3502SL-1D, 1C



Provincial CC17-1D, 1C, 1A CC1017SL-1D, 1C, 1A



Cambridge CC16-1D, 1C, 1A CC1016SL-1D, 1C, 1A

Classic-Craft Transoms



Arcadia CC620T-1D



Ashurst ASRT-1D



CC822-1D, 1C CC3502SL-1D. 1C

> Longford LFRT-1D, 1C



Cambridge CC920T-1C, 1A

12"-3/0"-12"-1D

12"-3/0"-12"-1D, 1C 14"-3/0"-14"-1D

Fiber-Classic & Smooth-Star

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 10" & 12" widths.









FC126-A FC100SL/ FC816SL-A S12-A, 1D S139SL/ S604SL-A ■ 14"









Blackstone FCM760-1D, 1C FCM808SL-1D, 1C

Sedona FCM126-A FCM816SL-A

Maple Park FCM904-1D, 1C FCM812SL-1D, 1C

Saratoga FCM909-1D, 1C FCM815SL-1D. 1C









Concorde




-1C, 1A S17-1C, 1A S416SL/ S4070SL -1C 14"





Prairie Fixed Grille FCM721-1D 2'8" S704 2'8" FCM818SL-1D S100SL / S601SL (CL) 14"

Wellesley FCM125-1C, 1A FCM818SL-1C ■






FCM914-1C, 1A

FCM809SL-1C, 1A

Maple Park FWRT-1D, 1C




Wellesley 19730T-1D, 1C



Concorde CNRT-1C

Features / Options Kev

Wellesley



Pulse_® Options

All smooth doors on this page available in 6'8" height and 2'6", 2'8", 2'10" and 3'0" widths. All mahogany grain doors on this page available in 6'8" height and 3'0" width. All oak grain doors on this page available in 6'8" height and 2'8" and 3'0" widths.


Ari




Axis S2AX FCM2AX FC2AX



S2 FCM2 FC2 (XN, XR, XE, LE)



Maple Park S1LFW FCML1FW FCL1FW (1D, 1C)




Saratoga S1LSG FCML1SG FCL1SG (1D, 1C)



Privacy / LE S1L (XN, XR, XE, LE) FCML1 FCL1 (XN, XR, XC, XJ, LE)



Maple Park S1FW FCM1FW FC1FW (1D, 1C)



Saratoga S1SG FCM1SG FC1SG (1D, 1C)




Privacy / LE S1 (XN, XR, XE, LE) FCM1 FC1 (XN, XR, XC, XJ, LE)

Features / Options Key


1D Black Nickel Caming 1C Brushed Nickel Caming AX Axis Glass SG Saratoga Glass FW Maple Park Glass LE Low-E

CL Clear Glass XE Satin Etch Glass XC Chord Glass XJ Chinchilla Glass


XR Rainglass XN Granite Glass



Maple Park S1RFW FCMR1FW FCR1FW (1D, 1C)



Axis S5RAX FCM5RAX FC5RAX



Saratoga S1RSG FCMR1SG FCR1SG (1D, 1C)




Privacy / LE S1R (XN, XR, XE, LE) FCMR1 FCR1 (XN, XR, XC, XJ, LE)




Axis S8LAX FCM8LAX FC8LAX

Echo



Axis S5RAX



Axis S5LAX FCM5LAX FC5LAX



Privacy / LE S5L FCM5L FC5L (XR, XN, XC, XE, LE, CL) (XJ in S5L only)



Privacy / LE S8L FCM8L FC8L (XN, XR, XC, XE, LE, CL) (XJ in S8L only)



Axis S8RAX FCM8RAX FC8RAX




Privacy / LE S8R FCM8R FC8R (XN, XR, XC, XE, LE, CL) (XJ in S8L only)

Privacy / LE

(XR, XN, XC, XE, LE, CL) (XJ in S5R only)

S5R FCM5R

FC5R



Solid Panel Options

Classic-Craft_®

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" & 14" widths.



CCM60 CCM3400SL (XH, XC, XJ, XR, XN, LE)



CCR040 CCR3407SL-1D, 1C



CCR200 CCR3412SL-1D, 1C



CCR205CCR3400SL (XH, XC, XJ, XR, XN, LE)



CCV400 CCV950SL (SDL, LE)



CCV100SL (XH, XC, XJ, XR, XN, LE)

Classic-Craft Transoms



























Features / Options Key

1D Black Nickel Caming1C Brushed Nickel CamingSDL Simulated Divided Lites

GBG Grilles Between Glass LE Low-E CL Clear Glass XH Hammered Glass XC Chord Glass XJ Chinchilla Glass XR Rainglass
XN Granite Glass

Solid Panel Options

Fiber-Classic. & Smooth-Star.

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 10" and 12" widths.

FC755

FC47SL/

(LE, CL)

S100SL/ S601SL (LE, CL)

FC60 2'8".

FC148SL

/ FC813SL

S210 2'8".

2'6" S160SL

/ S6132SL

-1D 14"

■ -1D

2'6"



FCM31 FCM12102SL ■ (SDL, LE, CL)



FCM755 FCM12101SL (LE, CL)



2'8"

S220

2'8"

S2010SL 🌢

GBG-A, LE,

(SDL, GBG-W,

FC809 3'0" FC2050SL (SDL, CL) 12" only



FCM600 3'0" FCM12101SL (XC, XJ, XR, XN)



FCM134 FCM818SL-1D. 1C



S11 S155SL/ S5870SL -1D. 1C 14"




FCM60 2'8" FCM813SL-1D




FCM220 FCM808SL-1D. 1C



FCM205 FCM814SL







Wellesley 19730T-1D, 1C



Kensington KNRT-1D, 1C

2'8"

S6008SL/

S6134SL

S960 2'8" S161SL-1D 12" & 14" only



S200 2'8" S292SL-1C 12" & 14" only



S31 S416SL / S4070SL-1D, 1C ■



FCM1000



Features / Options Key

- Flush-Glazed Glass
- No Stile Lines
- 1C Brushed Nickel Caming SDL Simulated Divided Lites 1D Black Nickel Caming GBG-W White Grilles Between Glass

CL Clear Glass XE Satin Etch Glass XC Chord Glass

Fiber-Classic. & Smooth-Star. All doors in this section available in 7'0" height and 2'8" and 3'0" widths except where noted.





Blackstone FC108-1D, 1C



Saratoga FC905-1D, 1C



Wellesley FC104-1D, 1C



Riserva FC574



3'0" only

GBG, LE)

Maple Park FC900-1D, 1C



Kensington S160-1D, 1C 3'0" only



Axis S1652-1D 3'0" only



Internal Blinds FC141 (LE, CL)



S128

GBG, LE)


3'0" only

Clear with Grilles FC138 (SDL, LE) 2'6"



Clear with Grilles FC18 (SDL, LE) 2'6"







Clear with Grilles FC10-2W4H (SDL, LE) 2'6"



FC10 (XC, XR, XN, LE, CL) 2'6"



Blackstone FC109-1D, 1C



Kensington S6036-1D, 1C 3'0" only



Clear with Grilles FC65 (SDL, LE, CL)



Clear with Grilles FC62-2W2H (SDL, LE, CL)



Clear FC62 (XR, XN, LE, CL)




Wellesley FC721



Solid Panel FC60 2'6"



Solid Panel \$220 3'0" only



Classic-Craft。
All doors on this page available in 8'0" height and 3'0" width.
Sidelites on this page available in 8'0" height and 12" & 14" widths.



Ashurst CCM893-1D, 1C CCM8002SL-1D, 1C



COR- Exterior WI CCM89120-COR (XC, XR, LE) CCM8000SL (XC, XR, LE)



Arborwatch CCM81418-1C CCM81423SL-1C



Longford CCM892-1D, 1C CCM8001SL-1D, 1C



Borrassa CCM81519 CCM8000SL-XH



Zaha CCM81843-1C CCM81851SL-1C, 1D

Note: Items denoted in RED add one week to existing lead time if not in stock.

Transom options are shown on page 19 for Ashurst Glass and page 20 for Arborwatch, Longford, and Zaha Glass.

Left: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM893, Sidelites – CCM8002SL

Fiber-Classic & Smooth-Star

All doors on this page available in 8'0" height and 2'8" & 3'0" widths. Sidelites on this page available in 8'0" height and 12" width.

S85898-

1D. 1C



Blackstone FC81952P-1D FC81952PSL-1D



Wellesley FC81959P-1D, 1C FC81959SL-1D, 1C

Features / Options Key

1D Black Nickel Caming LE Low-E 1C Brushed Nickel Caming CL Clear Glass



Maple Park FC81957P-1D, 1C FC81957PSL-1C, 1D



Concorde FC81960P-1C FC81960PSL-1C





Saratoga FC81956P-1D, 1C FC81956PSL-1D, 1C



Kensington S902-1D, 1C S902SL-1D



Riserva FC8529 FC8545SL



S8682SL (CL)





Classic-Craft

All doors in this section available in 8'0" height and 3'0" width. Sidelites in this section available in 8'0" height and 12" width. (14" where noted.)



8-Lite CCM891-2W4H (SDL, LE) CCM8000SL (LE) 14"



4-Lite CCM891-2W2H (SDL, LE) CCM8000SL (LE) 14"



6-Lite CCM891-2W3H (SDL, LE) CCM8000SL (LE) 14"



Low-E CCM891 (LE)

Fiber-Classic. & Smooth-Star.

All doors in this section available in 8'0" height and 2'8" & 3'0" widths. Sidelites in this section available in 8'0" height and 12" width.



Privacy / Low-E / Clear 15-Lite FC81946P (SDL, XC, XR, XN, LE, CL) FC81946PSL (SDL, XC, XR, XN, LE, CL,)



Privacy / Low-E / Clear 8-Lite FC8316 (SDL, XC, XR, XN, LE, CL) FC8310SL (SDL, XC, XR, XN, LE, CL)



S881 (FXG.

LE, CL)

Privacy / Low-E / Clear 10-Lite FC81945P (SDL, XC, XR, XN, LE, CL) FC81946PSL (SDL, XC, XR, XN, LE, CL)



Privacy / Low-E / Clear 6-Lite FC8313 (SDL, XC, XR, XN, LE, CL) FC8313SL (SDL, XC, XR, XN, LE, CL)

Fiber-Classic. & Smooth-Star.

All doors on this page available in 8'0" height and 2'6", 2'8" & 3'0" widths.



Privacy / Low-E / Clear (Insert Glass) FC81943P-2W2H (SDL, XC, XR, XN, LE, CL) 2'8", 3'0" only FC81943PSL-1W2H (SDL, XC, XR, XN, LE, CL) 12"



Flush-Glazed S82200-2W1H (SDL, LE, CL)



Flush-Glazed S82200-2W2H (SDL, LE, CL)



Flush-Glazed S82200-2W3H (SDL, LE, CL)



Flush-Glazed S82200-2W4H (SDL, LE, CL)



Flush-Glazed S82200-3W4H (SDL, LE, CL)



Flush-Glazed S82200-3W1H (SDL, LE, CL)

Features / Options Key

Flush-Glazed Glass SDL Simulated Divided Lites FXG Fixed Grilles



Flush-Glazed 9-Lite S82200-Prairie (SDL, LE, CL)



Flush-Glazed 13-Lite S82200-Modified Trellis (SDL, LE, CL)



Flush-Glazed 19-Lite S82200-Trellis (SDL, LE, CL)



Flush-Glazed S82200 (LE, CL)



Low-E / Clear (Insert Glass) FC81943P (LE, CL) 2'8", 3'0" only

GBG Grilles Between Glass

LE Low-E CL Clear Glass XC Chord Glass XR Rainglass

XN Granite Glass

Classic-Craft_®

All doors on this page available in 8'0" height and 3'0" width except where noted.



4-Lite CCR804020-2W2H (SDL, LE)



6-Lite CCR804020-2W3H (SDL, LE)



4-Lite CCR820520-2W2H (SDL, LE)



6-Lite CCR820520-2W3H (SDL, LE)



Prairie CCR820520 (SDL, LE)



4-Lite CCR820030A-2W2H (SDL, LE)



6-Lite CCR820030A-2W3H (SDL, LE)



Low-E CCR804020 (LE)



4-Lite CCV822020-2W2H (SDL, LE)



6-Lite CCV822020-2W3H (SDL, LE)



12-Lite CCV822012 (SDL, **LE**)



Low-E CCV822020 (LE)

Fiber-Classic & Smooth-Star

All doors on this page available in 8'0" height and 3'0" width.



Features / Options Key

Flush-Glazed GlassBlack Nickel Caming

AX Axis Glass
XE Satin Etch Glass

XN Granite Glass XR Rainglass Optional
Dentil Shelf SS 4-Block Dentil Shelf*

Classic-Craft_®

All doors in this section available in 8'0" height and 3'0" width except where noted.



Craftsman 2-Lite CCA8220 (SDL, LE)



Craftsman 2-Lite CCA87200 (SDL, LE) 3'6"



Craftsman 3-Lite CCA8230 (SDL, LE)



Craftsman 3-Lite CCA87300 (SDL, LE) 3'6"



Craftsman 4-Lite CCA8240 (SDL, LE)



Craftsman 4-Lite CCA87400 (SDL, LE) 3'6"



Craftsman 6-Lite CCA8260 (SDL, LE)



Craftsman 6-Lite CCA87600 (SDL, LE) 3'6" CCA3500SL (LE) 12", 14"



Craftsman Low-E CCA8210 (LE)



Craftsman Low-E CCA87100 (LE) 3'6"



Solid Panel CCM890



Solid Panel CCR8225R

Optional Dentil Shelves



SS 4-Block Dentil Shelf*

^{*}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: Items denoted in RED add one week to existing lead time if not in stock. Transom options are shown on pages 23 & 24



Solid Panel CCR8040



Solid Panel CCR8222 3'6"



Solid Panel CCR8200A



Solid Panel **Solid Panel** CCR8100 3'6"

Features / Options Key

1D Black Nickel Caming SDL Simulated Divided Lites



CCR8100R



Solid Panel CCV8220

Fiber-Classic. & Smooth-Star.

All doors in this section available in 8'0" height and 3'0" width.



Clear Glass FCM861 (CL)



S8601 (XN, XR, LE) 2'8"



Craftsman 3-Lite S8606 (SDL, LE) 2'8"



S8704 (FXG) 2'8"



Craftsman 6-Lite S8608 (SDL, LE) 2'8"



Axis S81645-1D 2'8"



FXG Fixed Grilles LE Low-E

CL Clear Glass XR Rainglass

XN Granite Glass

Fiber-Classic. & Smooth-Star. All doors on this page available in 8'0" height and 3'0" width.







Solid Panel S897



Solid Panel S8201



S8200

Solid Panel S8600



Solid Panel S81000 2'6", 2'8"



20-Minute Fire Doors

Smooth-Star_®, Profiles_™ & Traditions
All doors on this page available in 6'8" height and 2'8" & 3'0" widths.



Fiberglass SSF160



Steel 969HD 3'0" only



Steel 978HD



Steel 1005HD



Steel 210HD



Steel 205HD



Steel TS210 2'6"



Steel TS100 2'4". 2'10" x 6'6" 2'0", 2'4", 2'6" x 6'8"



Profiles™

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" width.



Wellesley 620-1D, 1C 2'8" 620SL-1D, 1C 10"



Concorde 1028-1C 2'8"



Kensington 626-1D 2'8"



Clear / Privacy 118 (LE) 2'0", 2'4", 2'6" (XN, XR, XC, XJ) 2'8" 100SL (XR, LE) 10"





Internal Blinds 130 2'4", 2'6", 2'8", 2'10" 130SL 10"



Clear Glass 108 (SDL, FXG, RG, GBGFW, LE) 2'4" (GBGFW only), 2'6", 2'8"



Concorde 967HD-1D, 1C 967SLHD-1D, 1C



Kensington 03142HD-1D



Clear / Privacy 959HD (XN, XR, XC, XJ, LE) 959HDSL (XR, XN, XC)



Clear Glass 961HD (GBGFW, A)



Clear / Privacy 206HD (XN, XR, XC, XJ, LE) 2'8"



Clear / Privacy 980HD (XJ, XN, XR, XC, LE) 2'8" 130SL 10"



Internal Blinds 132HD 2'8"



Internal Blinds 984HD 2'8"

Features / Options Key

- 1D Black Nickel Caming1C Brushed Nickel Caming
- SDL Simulated Divided Lites FXG Fixed Grilles
- GBGFW Flat White Grilles
 Between Glass Only
- A Flat Almond Grilles Between Glass
- RG Removable Wood Grilles LE Low-E
- XC Chord Glass XR Rainglass

Profiles_™

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" width.



Screen Vented 243HD 2'8"



Screen Vented 1004HD 2'8"



Screen Vented 1102HD 2'8"



Screen Vented 137HD 2'8"



Clear Glass 262HD (SDL, FXG, RG, GBGFW, LE) 2'8" 263SLHD (SDL, FXG, GBGFW)



Clear Glass 982HD (SDL, FXG, GBGFW) 2'8"



Clear Glass 1408HD (SDL, GBGFW) 2'8"



Clear Glass 1405HD (SDL, GBGFW) 2'8"



Clear Glass 1406HD (SDL, GBGFW) 2'8"



Wellesley 1022HD-1D, 1C, 1A

Features / Options Key

- 1D Black Nickel Caming1C Brushed Nickel Caming
- 1A Brass Caming SDL Simulated Divided Lites
- FXG Fixed Grilles RG Removable Wood Grilles

GBGFW Flat White Grilles
Between Glass Only

LE Low-E CL Clear Glass XC Chord Glass XR Rainglass

ss XN Granite Glass XJ Chinchilla Glass





Concorde 1024HD-1D, 1C 416SL-1D, 1C 10"



Kensington 630HD-1D



Privacy / Clear 289HD (XJ, LE, CL) 2'8" 210SLHD (XJ, LE, CL)



Clear Glass 263HD (SDL, FXG, GBGFW) 2'8"



Privacy 296HD (XN, XR, XC, XJ) 2'8"



Solid Panel 969HD



Solid Panel 978HD 2'8"



Solid Panel 1005HD 2'8"



Solid Panel 210HD 2'8"



Solid Panel 100

Traditions

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 10" and 12" widths.



Clear / Privacy TS118 (LE, CL) 2'4", 2'6", 2'8", 2'10" (XN, XR, XC, XJ) 2'8", 2'10"



Internal Blinds TS130 (LE, CL) 2'4", 2'6", 2'8" 130SL (LE, CL)



Clear Glass TS128 (SDL, GBGF / GBGC, LE, CL) 2'4" × 6'6", 2'6"



Ts108 (SDL, FXG, RG, GBGFW, GBGF / GBGC, LE, CL)
24" x 6'6", 2'6", 2'8", 2'10"
632SL (SDL, FXG, RG, GBGF / GBGC, LE)



Clear / Privacy TS206 (XJ, XN, XR, XC, LE, CL) 2'6" (CL only), 2'8"



Clear / Privacy TS104 (XJ, XN, XR, XC, LE, CL) 2'6" (CL only), 2'8"



Internal Blinds TS132 (LE, CL) 2'8"



Internal Blinds TS131 (LE, CL) 2'8"



Screen Vented TS243 (CL) 2'8"



Clear Glass TS262 (SDL, FXG, RG, GBGFW, GBGF / GBGC, LE, CL) 2'6" (FXG only), 2'8" TS263SL (SDL, FXG, GBGFW, GBGF / GBGC)





Privacy TS289XJ 2'6", 2'8" TS210XJSL 12" only



Clear Glass TS263 (SDL, FXG, GBGFW, GBGF / GBGC, LE) 2'6", 2'8"



Privacy TS296 (XJ, XC, XN, XR) 2'6", 2'8"



Privacy TS708XR 2'8", 2'10" TS100XRSL



Clear Glass TS255 (FXG, GBGF / GBGC)



Clear Glass TS236 (FXG) 2'8", 2'10"



Solid Panel TS214 2'8"



Solid Panel TS210 2'6", 2'8"



Solid Panel TS100 2'0", 2'6", 2'8"

Features / Options Key

Patio Doors

Retro Size & Full Size

Available in Smooth-Star. Fiberglass. Any of the 5/4 or larger width doors are also capable of using decorative glass.



Insert Type Glass Doors Clear \$108 (SDL, FXG, GBGFW, LE) 4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors Clear \$128 (SDL, GBGF / GBGC, LE) 4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors Clear \$118 (LE) 4'0", 4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors Internal Blinds S130 (LE) 4'8". 5'0". 5'4". 5'8". 6'0" x 6'6". 6'8"



Flush-Glazed Clear \$2000 (SDL, LE) 4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"



Flush-Glazed Clear \$2000-2W4H (SDL, LE) 4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"



Flush-Glazed Clear \$2000-2W3H **(SDL, LE)** 4'0", 5'0", 5'4", 5'8", 6'0" × 6'6", 6'8", 8'0"




Flush-Glazed Clear \$2000-2W2H **(SDL, LE)** 4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"

Features / Options Key

Flush-Glazed Glass
LE Low-E

SDL Simulated Divided Lites FXG Fixed Grilles







New Swinging Therma-Tru Patio Unit Rough Opening

| | | Retro Inswing Patio |) |
|------------------------|---|---|-----------------|
| Opening | Description | Actual Size* | Full Size |
| 4/8 x 6/6 | Patio Door Unit (with mull) | 58 13/16" x 79 1/2" | see page 79 for |
| 5/8 x 6/6 4/8 x 6/6 | Patio Door Unit (with mull) Double Door Unit (with astragal) | 70 ¹³ / ₁₆ " x 79 ¹ / ₂ " 58 ⁹ / ₁₆ " x 79 ¹ / ₂ " | Full Size Patio |
| 5/8 x 6/6 | Double Door Unit (with astragal) | 70 ⁹ / ₁₆ " x 79 ¹ / ₂ " | Dimensions |
| Retro size screens | s available. | | |



Astragal




Astragal Right Hand



Left Hand Fixed Panel




Right Hand Fixed Panel



Fixed Panel Left Hand



Fixed Panel Right Hand



Vented Sidelites

Therma-Tru reinvented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

Works as a small swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.

- Wide patio mullions provide required structural strength for years of dependable operation.
- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens available in bronze and white – are easy to operate and designed for years of worry-free use.





Refer to the • for available sidelites.

(Not all glass available for vented sidelites).

In stock in 12" sidelites only (no 10" sidelites).

On 8'0" units 14" only.





Tongue (For single door systems.)

Heights: 6'8" 7'0" 8'0"



Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Vented Sidelite Dimensional Data

Inswing continuous single units with two venting sidelites.

| 6'6'' | | | 6'8'' | | | 8'0'' | | | | | | | | |
|------------------|---|---------------|------------|--------|---|---------|--------------|---|---------|------------------|---------|-------------|-----------|---------|
| Inswin | Inswing Continuous with Two Venting Sidelites Standard | | | | Inswing Continuous with Two Venting Sidelites Standard | | | Inswing Continuous with Two Venting Sidelites Standard | | | | | | |
| Description | Unit | Size | Rough 0 | pening | Description | Unit | Size | Rough 0 |)pening | Description | Unit | Size | Rough | Opening |
| | Single/ | Wide Mullion | | | | Single/ | Wide Mullion | | | | Single/ | Wide Mullio | n | |
| 2'6" w/ 12" s/l | 59 1/8 | 79 1/2 | 59 13/16 | 80 | 2'6" w/ 12" s/l | 59 1/8 | 82 | 59 13/16 | 82 1/2 | | | | | |
| 2'6" w/ 14" s/l | 63 1/8 | 79 1/2 | 63 13/16 | 80 | 2'6" w/ 14" s/l | 63 1/8 | 82 | 63 13/16 | 82 1/2 | 2'6" w/ 14" s/l | 63 1/8 | 98 | 63 13/16 | 98 1/2 |
| 2'8" w/ 12" s/l | 61 1/8 | 79 1/2 | 61 13/16 | 80 | 2'8" w/ 12" s/l | 61 1/8 | 82 | 61 13/16 | 82 1/2 | | | | | |
| 2'8" w/ 14" s/l | 65 1/8 | 79 1/2 | 65 13/16 | 80 | 2'8" w/ 14" s/l | 65 1/8 | 82 | 65 13/16 | 82 1/2 | 2'8" w/ 14" s/l | 65 1/8 | 98 | 65 13/16 | 98 1/2 |
| 2'10" w/ 12" s/l | 63 1/8 | 79 1/2 | 63 13/16 | 80 | 2'10" w/ 12" s/l | 63 1/8 | 82 | 63 13/16 | 82 1/2 | | | | | |
| 2'10" w/ 14" s/l | 67 1/8 | 79 1/2 | 67 13/16 | 80 | 2'10" w/ 14" s/l | 67 1/8 | 82 | 67 13/16 | 82 1/2 | 2'10" w/ 14" s/l | 67 1/8 | 98 | 67 13/16 | 98 1/2 |
| 3'0" w/ 12" s/l | 65 1/8 | 79 1/2 | 65 13/16 | 80 | 3'0" w/ 12" s/l | 65 1/8 | 82 | 65 13/16 | 82 1/2 | | | | | |
| 3'0" w/ 14" s/l | 69 1/8 | 79 1/2 | 69 13/16 | 80 | 3'0" w/ 14" s/l | 69 1/8 | 82 | 69 13/16 | 82 1/2 | 3'0" w/ 14" s/l | 69 1/8 | 98 | 69 13/16 | 98 1/2 |
| Fre | nch with 7/8" | Astragal/ Wid | le Mullion | | French with 7/8" Astragal/ Wide Mullion | | | French with 7/8" Astragal/ Wide Mullion | | | | | | |
| 4'8" w/ 12" s/l | 86 | 79 1/2 | 86 12/16 | 80 | 4'8" w/ 12" s/l | 86 | 82 | 86 12/16 | 82 1/2 | | | | | |
| 4'8" w/ 14" s/l | 90 | 79 1/2 | 90 12/16 | 80 | 4'8" w/ 14" s/l | 90 | 82 | 90 12/16 | 82 1/2 | 4'8" w/ 14" s/l | 90 | 98 | 90 12/16 | 98 1/2 |
| 5'0" w/ 12" s/l | 90 | 79 1/2 | 90 12/16 | 80 | 5'0" w/ 12" s/l | 90 | 82 | 90 12/16 | 82 1/2 | | | | | |
| 5'0" w/ 14" s/l | 94 | 79 1/2 | 94 12/16 | 80 | 5'0" w/ 14" s/l | 94 | 82 | 94 12/16 | 82 1/2 | 5'0" w/ 14" s/l | 94 | 98 | 94 12/16 | 98 1/2 |
| 5'4" w/ 12" s/l | 94 | 79 1/2 | 94 12/16 | 80 | 5'4" w/ 12" s/l | 94 | 82 | 94 12/16 | 82 1/2 | | | | | |
| 5'4" w/ 14" s/l | 98 | 79 1/2 | 98 12/16 | 80 | 5'4" w/ 14" s/l | 98 | 82 | 98 12/16 | 82 1/2 | 5'4" w/ 14" s/l | 98 | 98 | 98 12/16 | 98 1/2 |
| 5'8" w/ 12" s/l | 98 | 79 1/2 | 98 12/16 | 80 | 5'8" w/ 12" s/l | 98 | 82 | 98 12/16 | 82 1/2 | | | | | |
| 5'8" w/ 14" s/l | 102 | 79 1/2 | 102 12/16 | 80 | 5'8" w/ 14" s/l | 102 | 82 | 102 12/16 | 82 1/2 | 5'8" w/ 14" s/l | 102 | 98 | 102 12/16 | 98 1/2 |
| 6'0" w/ 12" s/l | 102 | 79 1/2 | 102 12/16 | 80 | 6'0" w/ 12" s/l | 102 | 82 | 102 12/16 | 82 1/2 | | | | | |
| 6'0" w/ 14" s/l | 106 | 79 1/2 | 106 12/16 | 80 | 6'0" w/ 14" s/l | 106 | 82 | 106 12/16 | 82 1/2 | 6'0" w/ 14" s/l | 106 | 98 | 106 12/16 | 98 1/2 |

10" Sidelites & Transoms

10" x 6'8" Flush-Glazed Sidelites - Classic-Craft. Mahogany Collection. & Smooth-Star.



Arcadia CCM3309SL ▲ (1D, 1C, 1A)



Ashurst CCM3305SL ▲ (1D)



Ashurst CCM3305SL ▲ (1C)



Bella CCM3310BSL (1D, 1C)



Longford CCM3303SL ▲ (1D)



Longford CCM3303SL ▲ (1C)



Lucerna CCM3302SL ▲ (1D, 1C)



Zaha CCM1843SL (1D, 1C)



Low-E CCM3300SL-4LT-SDL (SDL. LE) (Any SDL pattern available)



CCM3300SL ▲ (LE)



Clear / Low-E S2000SL (LE, CL)

Classic-Craft_® Mahogany Collection_™ Transoms

(Fits over 10" - 3/0 - 10" width opening, can be customized to fit custom size units. Call for details.) Note: Transoms may require extended leadtime. All transoms that fit over 10" - 3/0 - 10" transoms are sash set.



Arcadia CC620T-1D (Black Nickel Glass)



Longford LFRT-1D (Black Nickel Glass)



Clear Glass 19220T (LE) (Grid Option Available)



Ashurst ASRT-1D (Black Nickel Glass)



Longford LFRT-1C (Brushed Nickel Glass)



Bella BERT-1D (Bronze Waterglass)



Lucerna* LCRT-1D, 1C (Black Nickel Glass)

| Description | Size | Actual Unit Size | | | | | |
|--|-------------|---|--|--|--|--|--|
| Door w/(2) Sidelites | 10" 3/0 10" | 59 ²¹ / ₃₂ " x 82" | | | | | |
| with 10" Transom | 10" 3/0 10" | 59 ²¹ / ₃₂ " x 93 ¹ / ₂ " | | | | | |
| with 12" Transom | 10" 3/0 10" | 59 ²¹ / ₃₂ " x 95 ¹ / ₂ " | | | | | |
| Note: Based on Standard Mull Configuration | | | | | | | |

Features / Options Key

Flush-Glazed Glass 1D Black Nickel Caming 1C Brushed Nickel Caming 1A Brass Caming SDL Simulated Divided Lites RG Removable Wood Grilles GBGFW Flat White Grilles Between Glass Only GBGF / GBGC Flat or Contoured White or Color Grilles Between Glass

LE Low-E CL Clear Glass XE Etched Glass

XC Chord Glass XR Rainglass

XN Granite Glass XJ Chinchilla Glass

10" x 6'8" Fiber-Classic., Smooth-Star. & Steel Sidelites - Insert Glass



Blackstone FCM808SL FC108SL (1D, 1C)



Maple Park FCM812SL FC900SL (1D, 1C)



Saratoga FCM815SL FC905SL (1D, 1C)



Wellesley FCM818SL FC104SL (1D, 1C)



Privacy / Low-E FCM12101SL FC47SL (XC, XR, XN, XJ, LE, CL)



Wellesley S5870SL TS620SL (1D, 1C)



Concorde S4070SL TS416SL (1D)



Concorde S4070SL TS416SL (1C)



Axis

(1D)

S1651SL

TS1651SL

Kensington S6132SL TS626SL (1D)



Clear / Low-E S601SL TS100SL (XE, XR, XN, LE, CL)

Fiber-Classic, & Smooth-Star, & Steel Transoms

(Fits over 10" - 3/0 - 10" width opening, can be customized to fit custom size units. Call for details.) Note: Transoms may require extended leadtime. All are sash set transoms.



Concorde CNRT-1D (Black Nickel Glass)



Wellesley 19730T-1D (Black Nickel Glass)



Concorde CNRT-1C (Brushed Nickel Glass)



Wellesley 19730T-1C (Brushed Nickel Glass)



Clear with Grilles 19420T / 19430T (RG, GBGFW, GBGF / GBGC)



Clear Glass 19220T / 19230T (LE)

| Description | Size | Actual Unit Size | Rough Opening | | | | |
|--|-------------|--|---|--|--|--|--|
| Door w/(2) Sidelites | 10" 3/0 10" | 59 ²¹ / ₃₂ " x 82" | 60 ¹ / ₂ " x 82 ¹ / ₂ " | | | | |
| with 10" Transom | 10" 3/0 10" | $59^{21}/_{32}$ " x $93^{1}/_{2}$ " | 60 ¹ /2" x 94" | | | | |
| with 12" Transom | 10" 3/0 10" | $59^{21}/_{32}$ " x $95^{1}/_{2}$ " | 60 ¹ / ₂ " x 96" | | | | |
| Note: Based on Standard Mull Configuration | | | | | | | |

^{*}This transom is built from a sidelite and the glass is short 1-3/16" of outside edge of sidelite glass on 10"-3/0-10" on each side. Note: Items denoted in RED add one week to existing lead time if not in stock.

Frames & Sills

Frames

Boise offers a wide variety of frames to choose from:



Primed Finger-Joint Pine for your Builder Grade needs.

DuraFrame...the Boise standard. A primed Finger-Joint

Pine with Alaskan Yellow Cypress and Dura-Seal at the

bottom to offer a durable rot resistant frame.

(Limited lifetime warranty)



DuraPlast is polyfiber formulated, closed cellular structure alternative. Available in both a smooth (paintable) and a textured (stainable). (Limited lifetime warranty)



Timbers Collection is a premium, stain-grade frame available in Pine, Hem Fir, Mahogany and Red Oak.



Boise Partners with*:

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

Inswing Options



Basic Composite Adjustable Sill

Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Composite Adjustable Sill

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



Composite Adjustable Sill

Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.





Public Access Sill (Bronze, Non Thermal Break)

Outswing Options



Aluminum Sill with Thermal Break

All-aluminum construction resists corrosion, and integrated weatherstrip forms a tight seal under wind pressure. Also available without thermal break.



Composite Outswing Sill

(Mill, Light Wood Cap)

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, and integrated weatherstrip forms a tight seal under wind pressure.



Composite Outswing Sill

(Bronze, Dark Wood Cap)

Outswing Sill Extender



Boise will typically build on a continuous sill, but boxed units are available upon request.
Continuous sills are limited to 12 foot.

Capabilities

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations.







BACK:

5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

| Mull Adders | |
|-----------------|----------------|
| Description | Add Per Mull |
| Standard | 0" |
| Patio | 0" |
| Fat Boy | 1/2" |
| Back-to-Back | 1/2" |
| Spread | 1/2" + Spread* |
| * max 3" spread | |
| | |

Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



75

Finishing

Pre-Finish

Let Boise apply a "true" finish to your new entryway! For Classic-Craft and Fiber-Classic doors, choose any Therma-Tru stain color or Sherwin-Williams paint color. For Smooth-Star doors, choose any Sherwin-Williams paint color. Decide if you want the doors exterior or interior finished or both. You can also choose to paint the interior and stain the exterior, or use one paint color for the exterior and another for the interior.

Stain











When staining, you can choose between (7) Therma-Tru_® stain colors and Boise provides (2) options when

staining a Therma-Tru_® door.

Side "A" Doors will be stained with natural variations to enhance the appearance of a real wood door.

Side "B" Doors will be stained with a uniform, consistent, darker appearance. Overall, the staining will resemble a painted finish.





Unfinished tan colored Classic-Craft and Fiber-Classic skin

Unfinished rose color Classic-Craft

mahogany skin

Paint





When painting, you can choose any color available from Sherwin-Williams. Although we only stock Extra White and Tricorn Black, Boise is happy to order any other color available. Touch up paint and/or stain are provided with your finished order.

SIDE "B"



Same-Day, Stain Kit

Therma-Tru highly recommends use of Same-Day stain with its door systems. Stain kit is available in all stain colors shown above.



Multi-Point Locking System

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Featuring premium stainless steel construction that resists corrosion.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)

Standard Door Options




Tongue (For single door systems.)



Shootbolt (For double door systems.)

Exterior Handlesets



Hinges



Classic-Crafta Ball-Bearing



Self-Aligning



Spring-Loaded



Adjustable

Finish Options



Bright Brushed Black Brass Nickel* Nickel

kel Bronze*

the above colors as well as Stainless Steel. Black Nickel not available in self-aligning inswing hinge.

Hinges are available in

Adjustable Security Strike Plates available in Oil-Rubbed Bronze, Brushed Nickel, Zinc Dichromate (brass finish), and Stainless Steel.



SDL Bars / Design Pressure (DP) & Impact Rated

SDL Bars

Each bar is coped and mitred for a precision fit...with numerous patterns available to select from. Boise stocks 7/8" Colonial (stainable & paintable), 1-1/4" Colonial (stainable & paintable), 7/8" Putty (paintable) and Therma-Tru. CCA & CCV 1-5/8" SDL bars available on CCA and CCV Craftsman doors and sidelites only.















ial Paintable 7/8" Putty Glazed (Historical) Paintable


1-1/4" Colonial 7/8" Colonial Stainable Stainable

1-5/8" CCA Stainable

1-5/8" CCV Paintable

Design Pressure (DP) Rated Door Units

Boise is licensed for DP Rated Door Units...Design Pressure (DP) ratings are based on a Therma-Tru door systems' performance in Structural Wind Load. Almost all of Therma-Tru's Classic-Craft, Fiber-Classic, and Smooth-Star, fiberglass door systems with or without clear and decorative glass doorlites have been tested and approved for coastal use. This includes configured door systems with one sidelite, two sidelites and double doors.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Sill Pans

Sill pan flashing helps to eliminate problems associated with water infiltration. Recommended for doors exposed directly to water. Available in 4-9/16" or 6-9/16" in 6 or 9 feet.



Standard Boise Cascade Pre-hung features include:

4-9/16" Primed Duraframe Frame (Rot-Free; limited lifetime warranty), PVC Brickmould, Composite Cap Adjustable Mill Finish Sill, Inswing. Three 4x4 Brushed Nickel 5/8" Radius/Square Hinges [Classic-Craft® (Ball Bearing Radius/Radius Hinge)], Compression Bronze Weatherstrip, Adjustable Security Strike Plate, Double Bore for Lockset and Deadbolt Prep with Double Strike Prep on Frame, Therma-Tru® Bronze Door Sweep, Sill Cover, Transport Clip, (2) 2-1/2" Hinge Screws, Installation Instructions, Corner Seal Pads, Double Doors include standard Aluminum T-Astragal with Bronze Weatherstrip, Inactive Door is not Bored, and door with sidelites feature Continuous Composite Adjustable Sill.

Inswing Door Systems

| Description | Size | Actual | Rough | Outside |
|------------------|-------|--|-------------------|--------------------|
| Description | SIZE | Unit Size | Opening | Brickmould |
| Single Door Unit | 2'0" | 25 %" x 82" | 26 ½" x 82 ½" | 28 1/8" x 83 1/4" |
| | 2'4" | 29 %" x 82" | 30 ½" x 82 ½" | 32 1/8" x 83 1/4" |
| | 2'6" | 31 %" x 82" | 32 ½" x 82 ½" | 34 1/8" x 83 1/4" |
| | 2'8" | 33 %" x 82" | 34 ½" x 82 ½" | 36 1/8" x 83 1/4" |
| | 2'10" | 35 %" x 82" | 36 ½" x 82 ½" | 38 1/8" x 83 1/4" |
| | 3'0" | 37 %" x 82" | 38 ½" x 82 ½" | 40 1/8" x 83 1/4" |
| | 3'6" | 43 %" x 82" | 44 ½" x 82 ½" | 46 1/8" x 83 1/4" |
| Double Door Unit | 4'0" | 50 %16" x 82" | 51 ¼" x 82 ½" | 53 1/16" x 83 1/4" |
| | 4'8" | 58 ⁹ / ₁₆ " x 82" | 59 ¼" x 82 ½" | 61 1/16" x 83 1/4" |
| | 5'0" | 62 ⁹ / ₁₆ " x 82" | 63 ¼" x 82 ½" | 65 1/16" x 83 1/4" |
| | 5'4" | 66 % x 82" | 67 ¼" x 82 ½" | 69 1/16" x 83 1/4" |
| | 5'8" | 70 ⁹ / ₁₆ " x 82" | 71 ¼" x 82 ½" | 73 ½6" x 83 ½" |
| | 6'0" | 74 % x 82" | 75 ¼" x 82 ½" | 77 1/16" x 83 1/4" |
| Patio Door Unit | 5'0" | 62 ¹³ / ₁₆ " x 82" | 63 %" x 82 ½" | 65 1/6" x 83 1/4" |
| | 5'4" | 66 ¹³ / ₁₆ " x 82" | 67 5/8" x 82 1/2" | 69 5/16" x 83 1/4" |
| | 5'8" | 70 ¹¾₁6" x 82" | 71 ½" x 82 ½" | 73 5/16" x 83 1/4" |
| | 6'0" | 74 ¹³ / ₁₆ " x 82" | 75 %" x 82 ½" | 77 5/16" x 83 1/4" |

Door & Sidelite(s) with Continuous Sill System - Inswing

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|--------------------|------|--|------------------|-----------------------|
| w/(1) 10" Sidelite | 3'0" | 48 ²¹ / ₃₂ " x 82" | 49 ½" x 82 ½" | 51 5/32" x 83 1/4" |
| w/(1) 12" Sidelite | 3'0" | 50 ² 1/ ₃₂ " x 82" | 51 ½" x 82 ½" | 53 5/32" x 83 1/4" |
| w/(1) 14" Sidelite | 3'0" | 52 ²1/₃₂" x 82" | 53 ½" x 82 ½" | 55 5/32" x 83 1/4" |
| w/(2) 10" Sidelite | 3'0" | 59 ²1/₃₂" x 82" | 60 ½" x 82 ½" | 62 5/32" x 83 1/4" |
| w/(2) 12" Sidelite | 3'0" | 63 ² 1/ ₃₂ " x 82" | 64 ½" x 82 ½" | 66 5/32" x 83 1/4" |
| w/(2) 14" Sidelite | 3'0" | 67 ²1/₃₂" x 82" | 68 ½" x 82 ½" | 70 5/32" x 83 1/4" |

Outswing Door Systems

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould | | | |
|------------------|-------|--|------------------|---|--|--|--|
| Single Door Unit | 2'0" | 25 %" x 81 ¾6" | 26 ½" x 81 ½" | 28 ½" x 82 ½" | | | |
| | 2'4" | 29 %" x 81 1/16" | 30 ½" x 81 ¾" | 32 5/8" x 82 11/16" | | | |
| | 2'6" | 31 %" x 81 ¾ ₆ " | 32 ½" x 81 ¾" | 34 5/8" x 82 11/16" | | | |
| | 2'8" | 33 5/8" x 81 3/16" | 34 ½" x 81 ¾" | 36 5/8" x 82 11/16" | | | |
| | 2'10" | 35 %" x 81 ¾6" | 36 ½" x 81 ¾" | 38 5/8" x 82 11/16" | | | |
| | 3'0" | 37 %" x 81 ¾6" | 38 ½" x 81 ¾" | 40 %" x 82 11/16" | | | |
| | 3'6" | 43 %" x 81 ¾6" | 44 ½" x 81 ¾" | 46 %" x 82 11/16" | | | |
| Double Door Unit | 4'0" | 50 % "x 81 % " | 51 ¼" x 81 ¾" | 53 %16" x 82 11/16" | | | |
| | 4'8" | 58 % " x 81 % " | 59 ¼" x 81 5/8" | 61 ⁹ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |
| | 5'0" | 62 % x 81 3/16" | 63 ¼" x 81 5/8" | 65 ⁹ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |
| | 5'4" | 66 % " x 81 % " | 67 ¼" x 81 ¾" | 69 %16" x 82 11/16" | | | |
| | 5'8" | 70 %16" x 81 3/16" | 71 ¼" x 81 ½" | 73 ⁹ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |
| | 6'0" | 74 % " x 81 % " | 75 ¼" x 81 ¾" | 77 %16" x 82 11/16" | | | |
| Patio Door Unit | 5'0" | 62 ¹³ / ₁₆ " x 81 ³ / ₁₆ " | 63 ½" x 81 ½" | 65 ¹³ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |
| | 5'4" | 66 ¹³ / ₁₆ " x 81 ³ / ₁₆ " | 67 ¾" x 81 ¾" | 69 ¹³ / ₁₆ " x 82 ¹ / ₁₆ " | | | |
| | 5'8" | 70 ¹³ / ₁₆ " x 81 ³ / ₁₆ " | 71 ½" x 81 ½" | 73 ¹³ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |
| | 6'0" | 74 ¹³ / ₁₆ " x 81 ³ / ₁₆ " | 75 %" x 81 %" | 77 ¹³ / ₁₆ " x 82 ¹¹ / ₁₆ " | | | |

Door & Sidelite(s) with Continuous Sill System - Outswing

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|--------------------|------|--|------------------|---|
| w/(1) 10" Sidelite | 3'0" | 48 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 49 ½" x 81 ¾" | 51 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |
| w/(1) 12" Sidelite | 3'0" | 50 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 51 ½" x 81 ¾" | 53 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |
| w/(1) 14" Sidelite | 3'0" | 52 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 53 ½" x 81 ¾" | 55 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |
| w/(2) 10" Sidelite | 3'0" | 59 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 60 ½" x 81 ¾" | 62 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |
| w/(2) 12" Sidelite | 3'0" | 63 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 64 ½" x 81 ¾" | 66 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |
| w/(2) 14" Sidelite | 3'0" | 67 ²¹ / ₃₂ " x 81 ³ / ₁₆ " | 68 ½" x 81 ¾" | 70 ²¹ / ₃₂ " x 82 ¹¹ / ₁₆ " |

Slab Sizes

| Description | Size | Actual Size |
|----------------|-------|---------------------|
| Fiber-Classic, | 2'0" | 24" x 79 ¼" |
| Smooth-Star | 2'4" | 28" x 79 ¼" |
| and Steel | 2'6" | 30" x 79 ¼" |
| | 2'8" | 32" x 79 ¼" |
| | 2'10" | 34" x 79 ¼" |
| | 3'0" | 36" x 79 ¼" |
| Classic-Craft | 3'0" | 35 15/16" x 79 1/4" |

Retro Door Systems

| Description | Size | Actual Size (inswing) | Actual Size (outswing) |
|-------------|------|--|---|
| Retro | 4'8" | 58 5/16" x 79 1/2" | 58 5/16" x 78 5/8 " |
| Double Door | 5'8" | 70 5/16" x 79 1/2" | 70 5/16" x 78 5/8 " |
| Retro | 4'8" | 58 ¹³ / ₁₆ " x 79 ½" | 58 ¹³ / ₁₆ " x 78 ⁵ / ₈ " |
| Patio Door | 5'8" | 70 ¹³ / ₁₆ " x 79 ½" | 70 ¹³ / ₁₆ " x 78 ⁵ / ₈ " |

Lock Preparation:

2-3/8" Backset, 2-1/8" face bore, 2-1/4" edge prep. Standard passage bore is 44" from top of the door to center of bore. Dead Bolt spacing is 5-1/2" center to center

Standard Hinge Prep

| Door Slab | 1st Hinge | 2nd Hinge | 3rd Hinge | 4th Hinge |
|--------------|--------------|--------------|--------------|--------------|
| 6/8 | 8 3/8" | 37 %" | 66 1/8" | n/a |
| 8/0 | 5 1/8" | 30 ¾" | 56 1/4" | 81 ¾" |

Important Additional Information

- 1. For 7' doors, add 4" and for 8' doors add 16" to the actual unit size and rough opening height dimensions.
- 2. 12" Rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- **3.** Half round transoms are half the size of the actual unit width, add accordingly.
- 4. For units with public access sills, subtract 1" from inswing height.

Handing

All units viewed from exterior of the home.

Inswing FLF Outswing RA* LFF FLF FFR Fixed *For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Options Key

A = Astragal

F = Fixed Panel

Standard Boise Pre-hung Features:

- 1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
- Therma-Tru₀ bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
- 3. In-swing unit with corner seal pads.
- (3) 4x4 Brushed nickel 5/8" radius/ square hinges (Classic-Craft, door systems have ball-bearing radius/radius hinges).
- 5. Compression bronze weatherstrip.
- 6. Adjustable strike plate. Transport clip.
- 7. Double bore for lockset and deadbolt prep with double strike prep on frame.
- 8. Sill cover (not included on fixed doors).
- 9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
- 10. Installation instructions.
- Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
- 12. Inactive door is not bored.
- 13. Door with sidelites feature continuous composite adjustable sill.



8 Mount Moriah Road, Auburn, GA 30011 770-513-3521 fax 770-513-9248 1-800-241-9089

R = Right Hand

www.BC.com

L = Left Hand

